From Strings to Spacetime: Emergent Geometry in Quantum Gravity

Vikas Kumar
Applied Photonics Group, Communication Engineering, UPV/EHU, Bilbao, Spain
kumarvikas1027@gmail.com

Abstract- One of the key questions in the search for quantum gravity is whether spacetime is a fundamental or emergent object. There is currently strong evidence in string theory that underlying, non-geometric quantum degrees of freedom may give rise to classical spacetime geometry. With an emphasis on holographic dualities, we investigate in this article how such emergence is realized through the collective dynamics of strings and branes. The AdS/CFT correspondence offers a precise framework for investigating the genesis of spacetime by encoding higher-dimensional gravitational dynamics in lower-dimensional quantum field theories. Recent developments further imply that geometric concepts like curvature, connectedness, and distance are closely related to quantum entanglement patterns. We examine how bulk geometry can be reconstructed from boundary data using tensor network constructions, matrix models, and entanglement-based techniques, suggesting that spacetime has a fundamentally information-theoretic foundation. The resolution of singularities, the emergence of locality, and implications for black hole thermodynamics are examined. These advances offer fresh perspectives on the underpinnings of quantum gravity by supporting a unifying theory that holds that spacetime is not fundamental but rather arises from a deeper quantum structure.

Keywords-Anti-de-Sitter Space, 4-dimensional spacetime, quantum entanglement, M-theory, black holes, quantum structure due to string compactification to 4-dimensional spacetime.

Background: From Fundamental Geometry to Emergent Spacetime

One of the most important unanswered topics in contemporary physics is the nature of spacetime. Although quantum physics controls the probabilistic behavior of matter and fields and general relativity characterizes gravity as the curvature of a smooth geometric manifold, their conceptual underpinnings seem to be fundamentally incompatible. The quest for a coherent theory of quantum gravity that can reconcile geometry with quantum principles has been spurred by this tension.

Spacetime itself may not be fundamental, but rather an emergent phenomena resulting from more basic quantum degrees of freedom, according to an increasing amount of data. According to string theory, stretched objects like strings and higher-dimensional branes, rather than point-like particles, are the fundamental building blocks of reality. Geometric concepts seem to emerge dynamically from the collective activity of these entities, rather than requiring spacetime geometry as an input. This viewpoint marks a significant change: spacetime might be compared to thermodynamic variables like temperature or pressure, which are useful descriptions that result from underlying microscopic processes [1].

The AdS/CFT correspondence, a practical illustration of holographic duality, offers a particularly powerful manifestation of this concept. Within this framework, a lower-dimensional quantum field theory devoid of gravity is exactly identical to a gravitational theory specified in a higher-dimensional curved spacetime. The correspondence suggests that border quantum degrees of freedom can encode the entire structure of a bulk spacetime, including its geometry and gravitational dynamics. This duality implies that spacetime geometry is essentially a derived term and provides a non-perturbative formulation of some quantum gravity models [2].

Recent advances have strengthened this relationship by connecting quantum entanglement patterns to geometric characteristics of spacetime. The entanglement structure of the underlying quantum state seems to control concepts like distance, connectedness, and even the geometry of spacetime. Tensor network models and entanglement-based reconstruction methods, for example, suggest that spatial geometry can be understood as an emergent quantum information organization. According to this perspective, correlations contained in a deeper quantum substrate materialize as spacetime [3].

The ramifications of these discoveries are extensive. They clarify the emergence of locality in quantum gravity, present fresh methods for resolving gravitational singularities, and give a microscopic knowledge of black hole thermodynamics. Furthermore, they propose that geometry emerges as an The idea of pre-geometric degrees of freedom moves the emphasis from spacetime to the fundamental quantum entities that produce it. In particular, branes offer a rich framework for connecting gravitational

dynamics and gauge theories. According to this viewpoint, geometry is an emergent collective phenomena, similar to how microscopic components of condensed matter systems give rise to macroscopic features.effective macroscopic limit and that the basic description of the cosmos may be intrinsically information-theoretic.

In this paper, we investigate the emergence of spacetime geometry from non-geometric quantum entities, emphasizing entanglement-driven constructions, matrix models, and holographic dualities. By combining these methods, we hope to contribute to a cohesive framework that views spacetime as a collective phenomena based on quantum information rather than an a priori assumption.

Needs for Quantum Gravity: Strings, Branes, and Pre-geometric Freedom

General relativity's formulation of classical geometry has proven very effective in explaining gravitational phenomena at a variety of scales. However, in regions where quantum effects become important, like near singularities or at Planck-scale distances, its continuum model of spacetime breaks down. The smooth manifold picture is predicted to fail in these extreme regions, indicating the need for a more fundamental foundation.

However, quantum mechanics does not consistently account for gravity while offering a probabilistic description of matter and interactions. Non-renormalizable divergences result from perturbative attempts to quantize gravity, indicating that classical geometry might not be the best place to start. The notion that spacetime itself is not basic but rather arises from deeper quantum structures is motivated by these difficulties.

According to string theory, stretched objects rather than point particles are the basic building blocks of nature. These include higher-dimensional branes and one-dimensional strings, whose vibrational modes provide the observed particle spectrum. Crucially, these objects are part of a framework in which spacetime geometry emerges dynamically from their interactions rather than being presumptively given [4].

The idea of pre-geometric degrees of freedom moves the emphasis from spacetime to the fundamental quantum entities that produce it. In particular, branes offer a rich framework for connecting gravitational dynamics and gauge theories. According to this viewpoint, geometry is an emergent collective phenomena, similar to how microscopic components of condensed matter systems give rise to macroscopic features.

Holography and the AdS/CFT Correspondence Framework

The concept that spacetime can arise from non-gravitational degrees of freedom is made tangible via the AdS/CFT correspondence. It proves that a conformal field theory defined on the boundary of a higher-dimensional Anti-de Sitter spacetime and a gravity theory in that spacetime are exactly equivalent. This duality suggests that a lower-dimensional quantum system completely encodes gravitational dynamics [2].



Fig. 1. Toy model of emergent Anti-de Sitter–like geometry.
A surface representation of a negatively curved (hyperbolic) geometry generated from a simple logarithmic metric function. The emergent radial direction encodes scale, mimicking the extra dimension in holographic duality frameworks.

The possibility that spacetime's dimensionality is emergent is among holography's most significant implications. Boundary data can be used to reconstruct the bulk geometry, including curvature and causal

structure, indicating that spacetime is essentially a derived term. This framework, which provides both conceptual clarity and computational capacity, has emerged as a key component of contemporary approaches to quantum gravity. Holographic dualities suggest that higher-dimensional gravitational spacetimes can emerge from lower-dimensional quantum systems. The simulated surface shown in Fig.1 illustrates a negatively curved geometry resembling Anti-de Sitter space, where the additional radial dimension corresponds to an energy or renormalization scale. This provides an intuitive visualization of how geometric structure can arise from non-geometric degrees of freedom.

Entanglement to Spacetime: Reconstructing Bulk Geometry from Boundary Data

A crucial component in comprehending the structure of spacetime is quantum entanglement. Geometry seems to be closely related to patterns of entanglement in the underlying quantum state rather than being a passive background. It has been demonstrated that geometric quantities in holographic theories correspond to measures of entanglement, such as entanglement entropy [5].

This relationship raises the possibility that spacetime connectedness is a manifestation of quantum correlations. Highly entangled regions appear geometrically close, but disentangled parts become effectively far away. These observations provide credence to the idea that spacetime is a relational construct resulting from the entanglement structure of quantum degrees of freedom rather than a basic arena.

Understanding how bulk spacetime geometry may be rebuilt from boundary quantum information is a fundamental problem in holographic theories. Bulk observables can be recovered from boundary data using explicit processes such modular Hamiltonian approaches and entanglement wedge reconstruction. These methods show that non-local boundary correlations can give rise to local bulk physics.

The reconstruction program highlights the redundancy and encoding properties of quantum information in holographic systems. Bulk operators can be represented in multiple ways on the boundary, reflecting an inherent error-correcting structure. This perspective not only clarifies the emergence of geometry but also suggests deep connections between quantum gravity and quantum information theory. Entanglement entropy plays a central role in understanding the emergence of spacetime geometry. In many quantum systems, particularly those with holographic duals, the entropy scales with the boundary of a region rather than its volume. This behavior, known as the area law, provides a key link between quantum information and geometry [6]. Deviations toward volume-law scaling signal a breakdown of geometric description, reinforcing the idea that spacetime structure is encoded in entanglement patterns (see Fig.2).



Fig. 2. Entanglement entropy scaling and its geometric interpretation.
Comparison between area-law and volume-law scaling of entanglement entropy as a function of subsystem size. The area law (blue) reflects boundary-dominated correlations typical of ground states with emergent geometric descriptions, whereas the volume law (red) characterizes highly excited or thermal states with maximal entanglement.

Tensor Networks, Matrix Models and Non-Perturbative Spacetime Emergence

A discrete and computationally manageable framework for investigating emergent geometry is provided by tensor network models. Quantum many-body systems and gravitational spacetimes are connected via structures like MERA (multi-scale entanglement renormalization ansatz), which naturally reproduces characteristics similar to Anti-de Sitter geometry. Geometric linkages are mirrored in the entanglement hierarchies encoded by these models [7].

Through tensor networks, geometry can be interpreted as a manifestation of information flow and entanglement structure. Distances and connectivity arise from the network architecture, suggesting that spacetime itself may be viewed as a quantum circuit. This approach provides valuable intuition and supports the broader idea that geometry is fundamentally informational.

Tensor networks provide a discrete framework for understanding how geometry emerges from quantum entanglement. The hierarchical structure as shown in Fig. 3 captures how correlations are distributed across scales, with deeper layers corresponding to coarse-grained descriptions. This architecture naturally reproduces features of holographic spacetimes, supporting the interpretation of spacetime as a manifestation of quantum information flow.



Fig. 3. Tensor network representation of emergent geometry.
A hierarchical tensor network resembling a multi-scale entanglement renormalization ansatz (MERA), illustrating how quantum correlations are organized across different length scales. The network structure encodes an effective spatial geometry.

Particularly in lower-dimensional situations, matrix models offer a potent non-perturbative approach to quantum gravity. In these models, matrix degrees of freedom take the place of spacetime coordinates, and their combined dynamics give rise to geometry. These formulations do not depend on a spacetime background that is predetermined [8].



Fig. 4. Eigenvalue spectrum of a random matrix model.
Histogram of eigenvalues from a large Hermitian random matrix exhibiting a semicircular distribution, characteristic of emergent collective behavior in matrix models of quantum gravity.

Matrix models offer a non-perturbative approach to quantum gravity in which spacetime coordinates are replaced by matrix degrees of freedom. The eigenvalue distribution shown in Fig. 4 reflects universal statistical properties arising from large ensembles. In appropriate limits, such collective behavior can give rise to emergent geometric structures, suggesting that spacetime may originate from underlying matrix dynamics. Understanding features of holography and string theory beyond perturbation theory has been greatly aided by these models. They propose that the large-N limit of underlying quantum systems, where

classical geometry becomes an effective description, may give rise to spacetime. This supports the notion that spacetime is a macroscopic expression of quantum dynamics rather than a fundamental concept.

Singularities, Black Holes, Thermodynamic Insights and Emergence of Locality and Causality

Singularities, where curvature becomes infinite and the theory collapses, are predicted by classical general relativity. It is anticipated that microscopic mechanisms would resolve these singularities in a quantum gravity framework. Holographic methods shed light on the preservation of information and the potential for smoothing out singularities.

In this sense, black holes are crucial because they can be used as labs to examine how gravity, thermodynamics, and quantum information interact. Their temperature and entropy point to a close relationship between tiny degrees of freedom and geometry. These observations support the notion that spacetime geometry is emergent and suggest that it has a statistical basis [9].



Fig. 5. Black hole entropy proportional to horizon area.
Numerical illustration of the Bekenstein–Hawking entropy relation, showing entropy scaling with the square of the black hole radius, corresponding to horizon area.

Black hole thermodynamics provides strong evidence that spacetime geometry has a microscopic origin. The proportionality between entropy and horizon area as shown in Fig. 5 suggests that the fundamental degrees of freedom of gravity are encoded on lower-dimensional surfaces. This behavior aligns with holographic principles and supports the interpretation of spacetime as an emergent, information-theoretic construct [10].



Fig. 6. Exponential decay of correlations and emergent locality.
Spatial correlation function illustrating exponential decay with distance, indicating the emergence of effective locality in a quantum system.

Although causality and locality are essential components of classical spacetime, their origins in a quantum gravity framework are still unclear. Locality emerges as an effective attribute of low-energy states rather than being assumed in emergent scenarios. It is possible that the underlying quantum system is extremely non-local, with locality only appearing in specific regimes.

Locality, a cornerstone of classical spacetime, is not fundamental in many quantum gravity models but emerges from the structure of correlations. The exponential decay of correlations with distance as shown in Fig.6 demonstrates how interactions become effectively local at large scales. This provides a mechanism by which classical notions of space and causality arise from an underlying non-local quantum system.

Similarly, limitations on the propagation of information and the structure of entanglement are anticipated to give rise to causality. Holographic dualities imply that boundary theory consistency requirements match causal links in the bulk. In order to reconcile quantum mechanics with gravitational dynamics, it is essential to comprehend this emergence.

Implications for a Unified Theory of Quantum Gravity

The idea that spacetime is emergent has profound implications for the unification of physics. It suggests that gravity, rather than being a fundamental force, may arise from the collective behavior of underlying quantum degrees of freedom. This shifts the focus from quantizing geometry to understanding its origin.

High-energy physics, statistical mechanics, and quantum information theory are all naturally incorporated into this viewpoint. In the end, a cohesive framework might explain interactions, matter, and spacetime as distinct expressions of a more fundamental quantum structure. This method has the potential to resolve long-standing theoretical physics contradictions [11].

Conclusions and Outlook: Toward an Information-Theoretic Universe

Our conception of the cosmos has undergone a paradigm shift with the emergence of spacetime as a derived term. Holography, entanglement, and non-perturbative models all provide evidence for a basis that is essentially quantum and information-theoretic. According to this perspective, geometry develops from patterns of correlation and information rather than being primary [12].

Future studies will seek to relate these concepts to observable occurrences and expand them beyond highly symmetric environments. One of the biggest challenges is still bridging the gap between practical tests and abstract theoretical ideas. However, the path toward quantum gravity may eventually result in a greater understanding of reality as an emergent, information-driven structure, according to the convergence of ideas across disciplines.

Funding

There is no funding from any community.

Acknowledgement

Vikas acknowledge his family members to provide suitable environment for performing literature survey and numerical simulations.

Declaration

Author does not have any conflict of interest.

References

1. Seiberg, N. Emergent spacetime. In 23rd Solvay Conference on Physics (World Scientific, 2007).
2. Maldacena, J. M. The large N limit of superconformal field theories and supergravity. Adv. Theor. Math. Phys.2, 231–252 (1998).
3. Takayanagi, T. Emergent holographic spacetime from quantum information. Phys. Rev. Lett.134, 240001 (2025).
4. Polchinski, J. String Theory Vols 1 and 2 (Cambridge Univ. Press, 1998).
5. Ryu, S. & Takayanagi, T. Holographic derivation of entanglement entropy from AdS/CFT. Phys. Rev. Lett.96, 181602 (2006).
6. Ryu, S. & Takayanagi, T. Aspects of holographic entanglement entropy. J. High Energy Phys.08, 045 (2006).
7. Swingle, B. Entanglement renormalization and holography. Phys. Rev. D86, 065007 (2012).
8. Banks, T., Fischler, W., Shenker, S. H. & Susskind, L. M theory as a matrix model: a conjecture. Phys. Rev. D55, 5112–5128 (1997).
9. Bekenstein, J. D. Black holes and entropy. Phys. Rev. D7, 2333–2346 (1973).
10. Hawking, S. W. Particle creation by black holes. Commun. Math. Phys.43, 199–220 (1975).
11. Jacobson, T. Thermodynamics of spacetime: the Einstein equation of state. Phys. Rev. Lett.75, 1260–1263 (1995).
12. Hubeny, V. E. The AdS/CFT correspondence. Preprint at https://arxiv.org/abs/1501.00007 (2015).